2024 Q2 PROMOTION

Valid through April 1 until June 30, 2024

*While quantities last







- · Ideal for cutting dekton and all UCS materials
- · Fast, clean cutting & good life
- 8-Segment design ensures well balanced and smooth cutting
- · Ideal for water pressure with 25mm long segments
- 1/2" Gas male thread

| St | ock No. | Std | Size | Price \$ |
|----|-----------|-----|-----------|----------|
| NE | EOSFB2501 | O | 20 x25 mm | 199.99 |





Neos Core Bit

- · Ideal for cutting dekton, all ucs materials, granite, quartz and quartzite
- Univeral core bit
- Fast clean cuts with 2mm thick segments
- 1/2" Gas male and m14 female connection
- 4 Segments

| Stock No. | Std | Diameter | Price \$ |
|------------|-----|----------------|----------|
| NEOSCB3501 | O | 35mm (1.3779") | 171.99 |





Neos Incremental Bit

- Ideal for cutting Dekton, all UCS materials, granite, quartz and quartize
- Can work on quartzite with special parameters
- Universal incremental bit
- M12 (& M12 reverse) male thread

| | Stock No. | Std | Size | Price \$ |
|---|-------------|-----|---------|----------|
| I | NEOSIB2001 | O | 20 x 20 | 99.99 |
| Ī | NEOSIB2001R | C | 20 x 20 | 99.99 |







Diarex® Dragon Bridge Saw Blade

- · Ideal for granite and engineered stone
- Extremely easy cutting for fine surfaces and exact edges even for immersion cuts
- · Great for miter cuts

| Stock No. | Size | Reg, Price | Sale Price | Savings |
|------------|-------------|------------|------------|---------|
| F01.162013 | 14" (350mm) | \$448.99 | \$359.19 | 20% |
| F01.162413 | 16" (400mm) | \$482.99 | \$386.39 | 20% |




Countertop Protective Film

- Protects seams & grout lines
- Prevents dirt and water damage and is scratch resistant
- UV inhibitor withstands outdoor exposure
- · Abrasion resistant PVC backing
- Color : Clear
- · Thickness : 4mil.
- Size: 30" x 600'

| Stock No. | Reg. Price \$ | Sale Price \$ | Savings |
|-----------|---------------|---------------|---------|
| 698442 | 179.99 | 134.99 | 25% |







Aardwolf © L-Frame Transport Rack V2

- · Cushioned rubber protective strips riveted to frame
- Steel uprights faced with rubber and equipped with tie-down straps to securely hold stone in place
- Width of slab storage base: 15,25" (388mm)
- · Maximum capacity of 5,500lbs.

| Stock No. | Size | Reg. Price \$ | Sale Price \$ | Savings |
|-----------|------|---------------|---------------|---------|
| 750067 | 6ft. | 1,499.99 | 1,199.99 | 20% |
| 750068 | 8ft. | \$1,986.99 | \$1,589.59 | 20% |





Gorilla Grip[®] Original Seam Setter

The Gorilla Grip allows seams to quickly open or close just by running the palm of your hand over the roller nut. This system provides speedy and powerful clamping with a minimum amount of effort. An electric vacuum pump is used to insure reliable, consistent and powerful clamping of the pods to the deck.

| Stock No. | Reg. Price \$ | Sale Price \$ | Savings |
|-----------|---------------|---------------|---------|
| 00001 | 1,864.99 | 1,678.49 | 10% |





Gorilla Grip[©] Seam Setter 2.1 (No Cams)

There are no longer cams to worry about. Four convenient, built in, leveling points now allow you to get that perfect seam giving you more space to access the seam. The second upgrade is ½" of additional space in between the pods. This along with the elimination of the cams allows the user to remove excess glue from the seam before it cures, saving time and money.

| Stock No. | Reg. Price \$ | Sale Price \$ | Savings |
|-----------|---------------|---------------|---------|
| 00002 | 2,149.99 | 1,934.99 | 10% |





Omni Cubed™ Sink Hole Saver™ Manual

- · Surface-mounted reinforcement system for fragile materials
- Perfect solution for thin materials, curved countertops, vertical panels, and high-low drops
- · Proprietary, non-marking vacuum cups with triple sealing rings
- Easy to read vacuum pressure indicators
- Re-pumpable cups, without remaining pressure loss

| Stock No. | Size | Reg. Price \$ | Sale Price \$ | Savings |
|-----------|------|---------------|---------------|---------|
| 350351 | 8ft | 513.99 | 411.19 | 20% |





Coarse a Horizonta

- Omni Cubed ™ Miter-It ™ Auto
 Reliably holds heavy drop-down edges at 90°
- Coarse adjustment lever for quick apron placement
- · Horizontal and vertical fine-tuning knobs for ultimate seam control
- Proprietary, non-marking vacuum cups won't stain surfaces
- · Accommodates edges up to 12" tall, 3 cm thick
- Specific to the Pneumatic
- \bullet Highly efficient vacuum source requires only $1\!\!/_{\!\!2}$ CFM of compressed (shop) air Specific to the Electric
- Compact vacuum pump runs on AC or battery power for use at jobsite



| Stock No. | Description | Reg. Price \$ | Sale Price \$ | Savings |
|-----------|----------------------------------------------------------------------|---------------|---------------|---------|
| 350311 | Miter-It™ Auto, Electric | 1,533.00 | 1,226.40 | 20% |
| 350315 | Miter-It™ Auto, Starter Kit | 1,269.99 | 1,015.99 | 20% |
| 350316 | Miter-it™ Auto Clamp | 525.00 | 420.00 | 20% |
| 350317 | Venturi Generator kit (10-port) used with compressed/shop air | 273.00 | 218.40 | 20% |





Zoller® Smile 420 Fully Automatic Presetter

Basic Equipment:

- High precision SK50 spindle with integrated calibration edge and spindle indexing
- Membrane keyboard for power-operated tool clamping, spindle brake, and spindle indexing
- Image processing with telecentric objective and CCD camera
- with integrated incident light multi LED lights
- Concentricity 0,002mm, integrated calibration spheres, spindle brake
- Measuring machine control Pilot 3.0 Software
- · Operating system Windows 10, 64 bit
- · Machine table

| Stock No. | Description | Price \$ |
|-----------|---------------|-----------|
| 981650 | ISO40 Adapter | 78,000.00 |

- Row adapter tray (1 row)
- Thermal label printer
- 24" anti-glare multi-touch display with solid frameless glass surface
- Screen resolution 1920 x 1080 pixel
- 1 x USB 3.0 interface
- 6 x USB 2.0 interfaces
- 2 x RJ45 network connection
- · 4 GB working memory
- Storage for at least 15,000 adapters and tool steps
- · Lasso Software Package

ADVANT-EDGE



Advant-Edge Dressing Machine

- Variable speed drive to allow user to control speed 0-3,000 Rpm
- Precision spindle that promotes precise rotation
- Fits any 40 taper tool holder with a post length up to 120 mm
- Fits abrasive tooling up to 5" diameter
- Fits a 40 taper tool holder equipped with a RK1 or RK3 retention knob.
 Gen II Park, Gen III Northwood, Intermac.

11,000.00

Brembana & Bavelloni
Not currently available for Breton HSK-80

| Stock No. Price \$ |
|--------------------|

981598

- Additional 15 Amp GFCI outlet for plug-in options
- Dampening pads for minimal vibration and noise
- Require installations of a 110V 15 Amp twist lock receptacle
- · Place in a dry and well lit area
- Port attached for Wet/Dry vac on rear of tool housing
- · Dustless Wet/Dry available
- · Cart available at additional cost

BUY a Manzelli Smartwall 3M GET a Novair 1000 FREE

VALUE OF \$1,500.00





Manzelli Atmosphere Smartwall 220V x 3

- The dust cleaning process works due to sequence of two cleaning systems :
 - An external huge waterwall stops the primary dusts (the heaviest ones);
 - An efficient system of nozzles and filters washes intakes dusts, allowing you to achieve a real reduction of 99%.
- The external water curtain can be fully and easily opened thanks to a pneumatic jack. In this way the worker has full access at the inner part of the machine for regular maintenance (filters and nozzles)
- PVC filters split the wet from the dry zone inside the machine, are easily removable and washable, as well as the nozzles for dust suppression.
- Equipped with a noiseless double intaking fan directly coupled to the electric motor. In this way, thanks to an inverter, rotation speed and suction power can be changed. No more misaligned pulleys, no more belt breakdown.

Novair 1000

- 2 speed configurations
- · Polyethylene shell is seamless and dent proof
- · Audible & visual alarm
- True 1000 cubic feet per minute air movement with all filters installed

| Stock No. | Description | Reg. Price \$ | Sale Price \$ | Savings |
|-----------|---------------------------|---------------|---------------|------------|
| 491024 | Atm. Smartwall SW-30 (3m) | 37,500.00 | 37,500.00 | ¢4 500 00 |
| 104091 | Novair 1000 | 1,500.00 | FREE | \$1,500.00 |





(NSF.)

Diarex[®] Pro Series ™ Silicone

- · Permanently flexible
- · Quick curing
- · Bath and kitchen silicone
- Mildew resistant
- Excellent extreme temperature performance
- · Moisture, heat and vibration resistant
- 100% silicone

NEW RETAIL

| Stock No. | Description | Price \$ / Case |
|-----------|-------------|-----------------|
| 200302 | Translucent | 65.76 |
| 200303 | Clear | 65.76 |
| 200307 | White | 65.76 |

| Qty | Discount | \$/Tube | \$/Case |
|--------|----------|---------|---------|
| 1 cs | 20 % | 5.48 | 65.76 |
| 5 cs | 22% | 5.34 | 64.12 |
| 10 cs | 25% | 5.14 | 61.65 |
| 20+ cs | 27 % | 5.00 | 60.01 |

BUY 20 cases of Pro Series TM Silicone *All cases must be the same color of silicone

GET a Silicone Dispenser

FREE VALUE OF \$30.00





SINKFIT Adhesive

- · Excellent adhesion to most building materials
- · Odourless; zero solvents and isocyanates.
- Can be applied wet or dry
- Remains flexible, mold & mildew resistant, waterproof & UV resistant
- · Extraordinary resistance to extreme temperatures
- Fast curing and non-discolouring
- · Cures in 24 hrs under normal temperature, humidity, and pressure

| Stock No. | Description | Price \$ / Case |
|-----------|-------------|-----------------|
| 200320 | White | 163.10 |
| 200321 | Grey | 163.10 |

*All cases must be the same color of silicone

| Q ty | Discount | \$/Tube | \$/Case |
|-------------|----------|---------|---------|
| 1 cs | 20 % | 13.59 | 163.10 |
| 3 cs | 25 % | 12.74 | 152.91 |
| 5 cs | 30 % | 11.89 | 142.72 |
| 12+ cs | 35 % | 11.04 | 132.52 |



See FLEX Promotion here



TO OFF MSRP

ALL PRODUCTS*

MAY 1 TO MAY 31, 2024

* Does not include replacement parts.









granquartz.ca 1 800 520-7223

